

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name :

Aqualyt Entschäumer S

Revision : 02.05.2023

Version (Revision) :

5.0.0 (4.0.0)

Print date : 01.02.2024

1. Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Aqualyt Entschäumer S (30810074)

Unique Formula Identifier (UFI): GGV8-2UNG-XW0K-K9R0

1.2 Relevant identified uses of the substance or mixture

PC 0.10 - Defoamer

Sectors of use [SU]

Professional

Industrial

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier :

Hildebrand Industry AG

Street :

Marksteinstrasse 2

Postal code/City :

8552 Felben-Wellhausen

Telephone :

+41523684515

Contact :

sales@hildebrandindustry.ch

1.4 Emergency telephone number

Schweizerisches Tox-Zentrum, 24h-Notfallnr. 145, Telefon +41 44 251 51 51

2. Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

None

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements

P501

Disposal: Dispose of contents to a recognized collection point for hazardous waste.

Special rules for supplemental label elements for certain mixtures

EUH208

Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE ; 2-METHYLISOTHIAZOL-3(2H)-ONE. May produce an allergic reaction.

EUH210

Safety data sheet available on request.

2.3 Other hazards

Adverse environmental effects

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The PVT/vPvB criteria according to REACH, Appendix XIII, are not met.

3. Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

1,2-BENZISOTHIAZOL-3(2H)-ONE ; EC No. : 220-120-9; CAS No. : 2634-33-5

Weight fraction :

0 - 0.05 %

Classification 1272/2008 [CLP] :

Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 Skin Irrit. 2 ; H315 Skin Sens. 1 ; H317 Aquatic Acute 1 ; H400

2-METHYLISOTHIAZOL-3(2H)-ONE ; EC No. : 220-239-6; CAS No. : 2682-20-4

Weight fraction :

0 - 0.005 %

Classification 1272/2008 [CLP] :

Acute Tox. 2 ; H330 Acute Tox. 3 ; H301 Acute Tox. 3 ; H311 Skin Corr. 1B ; H314 Eye Dam. 1 ; H318 Skin Sens. 1A ; H317 Aquatic Acute 1 ; H400 Aquatic Chronic 1 ; H410 EUH071

Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

Regulation (EC) No. 648/2004: Labelling for contents

non-ionic surfactants

< 5 %

pereservation agents

< 5 %

4. First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

Following inhalation

Provide fresh air.

In case of skin contact

Wash with plenty of water.

After eye contact

In case of eye contact, flush eyes with water for a sufficient amount of time with eyelids open. .

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name :

Aqualyt Entschäumer S

Revision : 02.05.2023

Version (Revision) : 5.0.0 (4.0.0)

Print date : 01.02.2024

Following ingestion

If swallowed, rinse mouth with plenty of water. Do NOT induce vomiting. Keep at rest. .

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

None

5. Firefighting measures

Co-ordinate fire-fighting measures to the fire surroundings.

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂) Water mist Foam Dry extinguishing powder Water spray jet

5.2 Special hazards arising from the substance or mixture

Not combustible under normal conditions.

5.3 Advice for firefighters

Special protective equipment for firefighters

-

5.4 Additional information

Do not allow run-off from fire-fighting to enter drains or water courses.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

6.2 Environmental precautions

Do not allow to enter into surface water or drains, user solution (dilution) see also point 12.7. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

For cleaning up

Soak up inert absorbent and dispose as waste requiring special attention. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.4 Reference to other sections

None

7. Handling and storage

7.1 Precautions for safe handling

Avoid contact with eyes. When using do not eat, drink, smoke, sniff. To follow : Other regulations, restrictions and prohibition regulations. Normal precautions taken when handling chemicals should be observed.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep/Store only in original container. Follow the instructions for use on the label. Keep container tightly closed. Storage temperature: 5 - 30 °C. Always close containers tightly after the removal of product. Ensure adequate ventilation of the storage area. Store in accordance with local official regulations.

Hints on joint storage

Storage class (Switzerland): 10/12

Storage class (TRGS 510) : 12

Do not store together with

No special measures are necessary.

Further information on storage conditions

Shelf life from production: 2.5 years

7.3 Specific end use(s)

None

8. Exposure controls/personal protection

By law, the employer is obliged to carry out a risk assessment and to define suitable measures appropriate to the risk. If the threshold limit in Section 8.1 as defined by the authorities is exceeded, all the protective measures listed in Section 8.2 must be applied and regular measurements must be made in order to ensure compliance with the official threshold limits. The described measures must be applied in every situation in which a risk cannot be excluded. If the assessment shows a low risk for endangering the employees, the measures can be relaxed according to the risk.

8.1 Control parameters

Occupational exposure limit values

REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1) ; CAS No. : 55965-84-9

Limit value type (country of origin) : KZG value (CH)

Parameter : E: inhalable fraction

Limit value : 0.4 mg/m³

Remark : S SSC

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name :

Aqualyt Entschäumer S

Revision : 02.05.2023

Version (Revision) :

5.0.0 (4.0.0)

Print date : 01.02.2024

Version : 31.01.2022
Limit value type (country of origin) : MAK (CH)
Parameter : E: inhalable fraction
Limit value : 0.2 mg/m³
Remark : S SSC
Version : 31.01.2022

8.2 Exposure controls

Personal protection equipment

Wash hands before breaks and after work.

Eye/face protection

Use safety glasses or face protection to EN 166.

Skin protection

Hand protection

Suitable chemical resistant protective gloves according to ISO EN 374-1:2016: Type A or B, Permeation resistance (penetration resistance): 30 minutes. Material: Nitrile, thickness \geq 0.38 mm. Glove recommendation: Sol-Vex 37-675 (Type A, thickness 0.38 mm, test chemicals used: J,K,L,O,P,T) or Sol-Vex 37-185 (Type A, thickness 0.56 mm, test chemicals used: A,G,J,K,L,P,T) This information is based on the manufacturer's specifications. It should be noted that the daily service life of a chemical protective glove in practice (due to many influencing factors such as e.g. heat) may be shorter than the permeation time determined according to EN 374. The service life of a glove can be considerably prolonged, if it is regularly washed with soap and water after work is finished or at least rinsed off under a running tap.

Body protection

Wear suitable protective clothing to EN 14605, EN 20344, EN 20345: protective clothing and boots.

Respiratory protection

EN 143, EN 14387. None, if handled according to order.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : Liquid

Colour : white (batch-related color differences possible)

Odour : odourless

Safety characteristics

Initial boiling point and boiling range : (1013 hPa) not applicable

Flash point : not applicable

Vapour pressure : (50 °C) not applicable

Density : (20 °C) 1.000 g/cm³

Solvent separation test : (20 °C) not applicable

Solubility in water : emulsifiable

pH : 7.8

pH value : (20 °C / 5 g/l) 7.8

Viscosity; (5 °C) approx. 156 mPa*s

Viscosity : (20 °C) approx. 120 mPa*s

9.2 Other information

None

10. Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

No information available.

10.3 Possibility of hazardous reactions

No information available.

10.4 Conditions to avoid

Stable under recommended storage and handling conditions(See section 7).

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

None known.

11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

No information available.

11.2 Information on other hazards

Other adverse effects

According to our experience no damage to health has appeared even in case of long lasting contact. The classification was carried out

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name :

Aqualyt Entschäumer S

Revision : 02.05.2023

Version (Revision) :

5.0.0 (4.0.0)

Print date : 01.02.2024

according to the calculation method of the Preparations Directive (1999/45/EC).

12. Ecological information

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7 Other adverse effects

No information available.

12.8 Additional ecotoxicological information

The sewage liberated during use can be emptied into drains after separation of the solid material part and without preceeding neutralization.

13. Disposal considerations

13.1 Waste treatment methods

Directive 2008/98/EC (Waste Framework Directive)

Non-contaminated packages may be recycled.

After intended use

Waste codes/waste designations according to EWC/AVV

EU: Waste code (2008/98/EG): 20 01 30 // CH: Waste code (VeVA, SR 814.610): 20 01 30 // AT: Waste code (ÖNORM S 2100): 59402 Cleaning agent residues

14. Transport information

14.1 UN number or ID number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

14.4 Packing group

No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

None

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Authorisations and/or restrictions on use

Restrictions on use

The product is intended for professional use.

Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)

Use restriction according to REACH annex XVII, no. : 75

National regulations

Technische Anleitung zur Reinhaltung der Luft (TA-Luft)

Weight fraction (Number 5.2.5. I) : < 5 %

Water hazard class

Classification according to AwSV - Class : nwg (Non-hazardous to water)

15.2 Chemical Safety Assessment

No information available.

16. Other information

16.1 Indication of changes

02. Classification of the substance or mixture · 02. Label elements · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 02. Special rules for supplemental label elements for certain mixtures · 03. Hazardous ingredients · 15. Restrictions on use · 15. Water

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name :

Aqualyt Entschäumer S

Revision : 02.05.2023

Version (Revision) :

5.0.0 (4.0.0)

Print date : 01.02.2024

hazard class

16.2 Abbreviations and acronyms

None

16.3 Key literature references and sources for data

None

16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No information available.

16.5 Relevant H- and EUH-phrases (Number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

16.6 Training advice

None

16.7 Additional information

The details in this material safety data sheet satisfy national and EC legislation. We have no knowledge or control over the user's working conditions however. The user is responsible for the observance of all required statutory provisions.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.